Author Index

Abdi, Y.A., see Villén, T. 309
Ackermann, B.L., see Coutant, J.E. 265
Akane, A.
—, Fukushima, S., Matsubara, K., Takahashi, S. and Shiono, H.
Analysis of blood acetate by head-space gas chromatography: comparative studies of reagents for the methyl esterification 155
Akkerdaas, A., see De Jong, J. 359
Baldock, G.A.
—, Brodie, R.R., Chasseaud, L.F. and Taylor, T.
Determination of benzydamine and its N-oxide in biological fluids by high-performance liquid chromatography 113
Banks, M.C., see Huber, R. 389
Bargnoux, C.H., see Lartigue-Mattei, C. 93
Beijnen, J.H., see Van Tellingen, O. 135, 329
Berger, J.A., see Lartigue-Mattei, C. 93
Besner, J.G., see Varin, F. 319
Bessems, G.J.H.
—, Bours, J., Hofmann, D. and Födisch, H.J.
Molecular mass distribution of water-soluble crystallins from the human foetal lens during development 277
Bokkel Huinink, W.W. ten, see Van Tellingen, O. 329
Bonvini, E., see Brando, C. 65
Boukhabza, A.
—, Lugnier, A.A., Kintz, P., Mangin, P. and Chaumont, A.J.
Simple and sensitive method for monitoring clonazepam in human plasma and urine by high-performance liquid chromatography 210
Bourin, M., see Thomare, P. 494
Bours, J., see Bessems, G.J.H. 277
Brando, C.
—, Hoffman, T. and Bonvini, E.
High-performance liquid chromatographic separation of inositol phosphate isomers employing a reversed-phase column and a micellar mobile phase 65
Brodie, R.R., see Baldock, G.A. 113
Bruning, P.F., see Van Tellingen, O. 135
Buck, C., see Powell, M.L. 237
Burbage, R., see Paul, B.D. 103
Burrows, J.L.
— and Coppin, F.G.
Determination of tenilsetam in human plasma and urine by high-performance liquid chromatography 486
Bussiere, J.L., see Lartigue-Mattei, C. 93
Catilina, M.J., see Lartigue-Mattei, C. 93
Catilina, P., see Lartigue-Mattei, C. 93
Chabard, J.L., see Lartigue-Mattei, C. 93
Chasseaud, L.F., see Baldock, G.A. 113
Chaumont, A.J., see Boukhabza, A. 210
Chen, T.-M., see Coutant, J.E. 265
Chen, X.
—, Wijsbeek, J., Van Veen, J., Franke, J.P. and De Zeeuw, R.A.
Solid-phase extraction for the screening of acidic, neutral and basic drugs in plasma using a single-column procedure on Bond Elut Certify 161
Chen, Y.F., see Meng, Q.C. 201
Cheung, S.-F., see De Jong, J. 359
Coppin, F.G., see Burrows, J.L. 486
Coutant, J.E.
—, Chen, T.-M. and Ackermann, B.L.
Interfacing microbore and capillary liquid chromatography to continuous-flow fast atom bombardment mass spectrometry for the analysis of glycopeptides 265
Cragoe, E.J., see Meng, Q.C. 201
Damsma, G., see Teelken, A.W. 408
deBros, F.
—, Okutani, R., Inada, E. and Lawrence, K.
Determination of alcuronium in plasma and urine by high-performance liquid chromatography 449
De Jong, J.
—, Maessen, P.A., Akkerdaas, A., Cheung, S.-F., Pinedo, H.M. and Van der Vijgh, W.J.F.
Sensitive method for the determination of daunorubicin and all its known metabolites in plasma and heart by high-performance liquid chromatography with fluorescence detection 359
De Ruyter-Buitenhuis, A.W., see Dikkeschei, L.D. 145

De Vries, J.X.
— and Völker, U.
Determination of the plasma protein binding of the coumarin anticoagulants phenprocoumon and its metabolites, warfarin and acenocoumarol, by ultrafiltration and high-performance liquid chromatography 479
De Zeeuw, R.A., see Chen, X. 161
Dickinson, R.G., see Hooper, W.D. 167
Dikkeschei, L.D.
—, Wolthers, B.G., De Ruyter-Buitenhuis, A.W., Nagel, G.T., Sleijfer, D.Th., Willemse, P.H.B. and Van der Slik, W.
Determination of megestrol acetate and cyproterone acetate in serum of patients with advanced breast cancer by high-performance liquid chromatography 145
Dingler, E., see Lohmann, A. 442
Djalali, M.
—, Guéant, J.-L., Lambert, D., El Kholty, S., Saunier, M. and Nicolas, J.-P.
High-performance liquid chromatographic separation and dual competitive binding assay of corrinoids in biological material 81
Doehl, J.
— and Greibrokk, T.
Determination of prostaglandins in human seminal fluid by solid-phase extraction, pyridinium dichromate derivatization and high-performance liquid chromatography 21
Doyle, E., see Huber, R. 389
Ducharme, J., see Varin, F. 319
El Kholty, S., see Djalali, M. 81
Ericsson, Ö., see Villén, T. 309
Farinotti, R., see Gimenez, F. 339
Födisch, H.J., see Bessems, G.J.H. 277
Franke, J.P., see Chen, X. 161
Fujimoto, T., see Shoshihara, M. 473
Fukushima, S., see Akane, A. 155
Gimenez, F.
—, Farinotti, R., Thuillier, A., Hazebroucq, G. and Wainer, I.W.
Determination of the enantiomers of mefloquine in plasma and whole blood using a coupled achiral–chiral high-performance liquid chromatographic system 339
Gourley, G.R., see Odell, G.B. 287
Grases, F., see Millán, A. 402
Grases, J.M., see Millán, A. 402
Greibrokk, T., see Doehl, J. 21
Guéant, J.-L., see Djalali, M. 81
Gustafsson, L.L., see Villén, T. 309
Haas, H.J., see Klein, C.M. 431
Haginaka, J.
—, Wakai, J., Yasuda, H. and Kimura, Y.
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by liquid chromatography with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 455
Hattori, H.
—, Takashima, E., Yamada, T. and Suzuki, O.
Detection of tricyclic antidepressants in body fluids by gas chromatography with a surface ionization detector 189
Hayakawa, K., see Oizumi, J. 55
Hazebroucq, G., see Gimenez, F. 339
Henderson, L., see Powell, M.L. 237
Henion, J.D., see McLaughlin, L.G. 1
Hiyama, J.
— and Renwick, A.G.C.
Separation of human glycoprotein hormones and their subunits by reversed-phase liquid chromatography 33
Hoffman, T., see Brando, C. 65
Hofmann, D., see Bessems, G.J.H. 277
Hooper, W.D.
—, Kavanagh, M.C. and Dickinson, R.G.
Determination of gabapentin in plasma and urine by capillary column gas chromatography 167
Hosotsubo, H., see Hosotsubo, K.K. 223
Hosotsubo, K.K.
—, Hosotsubo, H., Nishijima, M.K., Okada, T., Taenaka, N. and Yoshiya, I.
Rapid determination of serum levels of a new antifungal agent, fluconazole, by high-performance liquid chromatography 223
Houbová, H., see Stehlík, P. 245, 251
Huber, R.
—, Müller, W., Banks, M.C., Rogers, S.J., Norwood, P.C. and Doyle, E.
High-performance liquid chromatographic determination of the H^+/K^+ ATPase inhibitor (BY 1023/SK&F 96 022) and its sulphone metabolite in serum or plasma by direct injection and fully automated pre-column sample clean-up 389
Inaba, T., see Tyndale, R.F. 182

Inada, E., see deBros, F. 449
Itoh, T., see Kamisaki, Y. 417
Jong, J. de, see De Jong, J. 359
Jonzon, B., see Svensson, J.-O. 437
Kamisaki, Y.
—, Takao, Y., Itoh, T., Shimomura, T., Takahashi, K., Uehara, N. and Yoshino, Y.
Determination of γ-aminobutyric acid in human cerebrospinal fluid by isocratic high-performance liquid chromatography 417
Kanai, Y., see Manabe, S. 125
Kase, K., see Shoshihara, M. 473
Kavanagh, M.C., see Hooper, W.D. 167
Kergueris, M.F., see Thomare, P. 494
Kholty, S. El, see Djalali, M. 81
Kimura, Y., see Haginaka, J. 455
Kinoshita, M.
—, Yoshimura, M., Ogata, H., Tsujino, D., Takahashi, T., Takahashi, S., Someya, K., Ohno, T., Masuhara, K. and Tanaka, Y.
High-performance liquid chromatographic analysis of unchanged *cis*-diamminedichloroplatinum (cisplatin) in plasma and urine with post-column derivatization 462
Kintz, P., see Boukhabza, A. 210
—, see Tracqui, A. 369
Klein, C.M.
— and Haas, H.J.
New high-performance liquid chromatographic method for the determination of low activities of dihydropyrimidine dehydrogenase 431
LaCreta, F.P., see Tinsley, P.W. 468
Lambert, D., see Djalali, M. 81
Larousse, G., see Thomare, P. 494
Lartigue-Mattei, C.
—, Chabard, J.L., Bargnoux, H., Petit, J., Berger, J.A., Ristori, J.M., Bussiere, J.L., Catilina, P. and Catilina, M.J.
Plasma and blood assay of xanthine and hypoxanthine by gas chromatography–mass spectrometry: physiological variations in humans 93
Lawrence, K., see deBros, F. 449
Leis, H.J.
—, Leis, M. and Welz, W.
Determination of captopril in human blood by gas chromatography–negative-ion chemical ionization mass spectrometry with [$^{18}O_4$]captopril as internal standard 299
Leis, M., see Leis, H.J. 299
Le Moing, J.P.
— and Levron, J.C.
High-performance liquid chromatographic determination of etomidate in plasma 217
Levron, J.C., see Le Moing, J.P. 217
Logan, B.K.
— and Patrick, K.S.
Photodegradation of nifedipine relative to nitrendipine evaluated by liquid and gas chromatography 175
Lohmann, A.
— and Dingler, E.
New assay method for the determination of vinpocetine in human plasma with gas chromatography–mass spectrometry without transesterification caused by solvents 442
Lugnier, A.A., see Boukhabza, A. 210
Mabuchi, H.
— and Nakahashi, H.
Separation of albumin-binding ligands present in uremic serum by high-performance affinity chromatography 424
McLaughlin, L.G.
— and Henion, J.D.
Determination of dexamethasone in bovine tissues by coupled-column normal-phase high-performance liquid chromatography and capillary gas chromatography–mass spectrometry 1
Maessen, P.A., see De Jong, J. 359
Manabe, S.
—, Wada, O. and Kanai, Y.
Simultaneous determination of amino-α-carbolines and amino-γ-carbolines in cigarette smoke condensate by high-performance liquid chromatography 125
Mangin, P., see Boukhabza, A. 210
—, see Tracqui, A. 369
Mårtensson, E., see Svensson, C. 229
Masuhara, K., see Kinoshita, M. 462
—, see Takahashi, H. 347
Matsubara, K., see Akane, A. 155
Meng, Q.C.
—, Chen, Y.F., Oparil, S. and Cragoe, E.J.
High-performance liquid chromato-

graphic determination of amiloride and its analogues in rat plasma 201
Millán, A.
—, Grases, J.M. and Grases, F.
Rapid determination of urinary oxalate by high-performance liquid chromatography 402
Mitchell, J.M., see Paul, B.D. 103
Mizobe, M., see Tagawa, K. 500
Mogilevsky, W.S., see Odell, G.B. 287
Moing, J.P. Le, see Le Moing, J.P. 217
Moncrieff, J.
Simultaneous determination of sparteine and its 2-hydro and 5-dehydro metabolites in urine by high-performance liquid chromatography with electrochemical detection 194
Moy, M., see Paul, B.D. 103
Müller, W., see Huber, R. 389
Nagel, G.T., see Dikkeschei, L.D. 145
Nakahashi, H., see Mabuchi, H. 424
Nicolas, J.-P., see Djalali, M. 81
Nishijima, M.K., see Hosotsubo, K.K. 223
Noda, K., see Tagawa, K. 500
Nooyen, W.J., see Van Tellingen, O. 135, 329
Norwood, P.C., see Huber, R. 389
Nyberg, G., see Svensson, C. 229
Odell, G.B.
—, Mogilevsky, W.S. and Gourley, G.R.
High-performance liquid chromatographic analysis of bile pigments as their native tetrapyrroles and as their dipyrrolic azosulfanilate derivatives 287
Ogata, H., see Kinoshita, M. 462
–, see Takahashi, H. 347
Ohno, T., see Kinoshita, M. 462
Oizumi, J.
— and Hayakawa, K.
High-performance liquid chromatographic determination of four kinds of biotin-containing carboxylase 55
Okada, T., see Hosotsubo, K.K. 223
Okutani, R., see deBros, F. 449
Oparil, S., see Meng, Q.C. 201
Patrick, K.S., see Logan, B.K. 175
Paul, B.D.
—, Mitchell, J.M., Burbage, R., Moy, M. and Sroka, R.
Gas chromatographic–electron-impact mass fragmentometric determination of lysergic acid diethylamide in urine 103
Petit, J., see Lartigue-Mattei, C. 93
Peyton, A.L.
— and Ziege, E.A.
Determination of a potential antiasthmatic compound, tibenelast, and its application to phase I clinical trials 377
Pinedo, H.M., see De Jong, J. 359
Powell, M.L.
—, Town, C., Henderson, L. and Buck, C.
Determination of marplan in human plasma using high-performance liquid chromatography 237
Rao, K.S.P.B., see Van Tellingen, O. 329
Renwick, A.G.C., see Hiyama, J. 33
Ristori, J.M., see Lartigue-Mattei, C. 93
Rogers, S.J., see Huber, R. 389
Rosenlund, B.L.
Time-saving method for the reversed-phase high-performance liquid chromatography of phenylthiocarbamylamino acid derivatives of free amino acids in plasma 258
Ruyter-Buitenhuis, A.W. de, see Dikkeschei, L.D. 145
Samejima, M., see Tagawa, K. 500
Saunier, M., see Djalali, M. 81
Schuring, H.F., see Teelken, A.W. 408
Seyfried, C.A.
— and Tobler, P.
High-performance liquid chromatographic system for the separation of dynorphin A (1–17) fragments and its application in enzymolysis studies with rat nerve terminal membranes 43
Shimomura, T., see Kamisaki, Y. 417
Shiono, H., see Akane, A. 155
Shoshihara, M.
—, Kase, K., Yoshizawa, E., Takao, M. and Fujimoto, T.
Column liquid chromatographic determination of isepamicin in nasal cavity using gauze 473
Sjöqvist, F., see Villén, T. 309
Sleijfer, D. Th., see Dikkeschei, L.D. 145
Slik, W. van der, see Dikkeschei, L.D. 145
Someya, K., see Kinoshita, M. 462
Soomägi, M., see Svensson, C. 229
Sroka, R., see Paul, B.D. 103

Stehlík, P.
— and Houbová, H.
Determination of metazosin in biological fluids by reversed-phase high-performance liquid chromatography with fluorescence detection 245
— and Houbová, H.
Determination of mepamil in human plasma by reversed-phase high-performance liquid chromatography with fluorescence detection 251
Suzuki, O., see Hattori, H. 189
Svensson, C.
—, Nyberg, G., Soomägi, M. and Mårtensson, E.
Determination of the serum concentrations of thioridazine and its main metabolites using a solid-phase extraction technique and high-performance liquid chromatography 229
Svensson, J.-O.
— and Jonzon, B.
Determination of adenosine and cyclic adenosine monophosphate in urine using solid-phase extraction and high-performance liquid chromatography with fluorimetric detection 437
Taenaka, N., see Hosotsubo, K.K. 223
Tagawa, K.
—, Ueki, T., Mizobe, M., Noda, K. and Samejima, M.
Determination of denopamine in human and dog plasma by high-performance liquid chromatography with electrochemical detection 500
Takahashi, H.
—, Tamura, A., Ogata, H. and Masuhara, K.
Simultaneous determination of disopyramide and its mono-N-dealkylated metabolite enantiomers in human plasma and urine by enantioselective high-performance liquid chromatography 347
Takahashi, K., see Kamisaki, Y. 417
Takahashi, S., see Akane, A. 155
—, see Kinoshita, M. 462
Takahashi, T., see Kinoshita, M. 462
Takao, M., see Shoshihara, M. 473
Takao, Y., see Kamisaki, Y. 417
Takashima, E., see Hattori, H. 189
Tamura, A., see Takahashi, H. 347
Tanaka, Y., see Kinoshita, M. 462
Taylor, T., see Baldock, G.A. 113
Teelken, A.W.
—, Schuring, H.F., Trieling, W.B. and Damsma, G.
Measurement of acetylcholine and choline in cerebrospinal fluid by high-performance liquid chromatography: failure to detect acetylcholine in normal human cerebrospinal fluid 408
Tellingen, O. van, see Van Tellingen, O. 135, 329
Ten Bokkel Huinink, W.W., see Van Tellingen, O. 329
Théorêt, Y., see Varin, F. 319
Thomare, P.
—, Kergueris, M.F., Bourin, M., Thomas, L. and Larousse, G.
Sensitive one-step extraction procedure for high-performance liquid chromatographic determination of viloxazine in human plasma 494
Thomas, L., see Thomare, P. 494
Thuillier, A., see Gimenez, F. 339
Tinsley, P.W.
— and LaCreta, F.P.
Improved chromatographic method for the determination of trimetrexate in urine 468
Tobler, P., see Seyfried, C.A. 43
Town, C., see Powell, M.L. 237
Tracqui, A.
—, Kintz, P. and Mangin, P.
Determination of nizatidine and two of its main metabolites in human serum using high-performance liquid chromatography 369
Trieling, W.B., see Teelken, A.W. 408
Tsujino, D., see Kinoshita, M. 462
Tyndale, R.F.
— and Inaba, T.
Simultaneous determination of haloperidol and reduced haloperidol by gas chromatography using a megabore column with electron-capture detection: application to microsomal oxidation of reduced haloperidol 182
Uehara, N., see Kamisaki, Y. 417
Ueki, T., see Tagawa, K. 500
Van der Slik, W., see Dikkeschei, L.D. 145
Van der Vijgh, W.J.F., see De Jong, J. 359
Van der Woude, H.R., see Van Tellingen, O. 135, 329

Van Tellingen, O.
—, Beijnen, J.H., Van der Woude, H.R., Bruning, P.F. and Nooyen, W.J.
High-performance liquid chromatographic method for the analysis of 10-ethyl-10-deaza-aminopterin and metabolites in plasma 135
—, Van der Woude, H.R., Beijnen, J.H., Rao, K.S.P.B., Ten Bokkel Huinink, W.W. and Nooyen, W.J.
High-performance liquid chromatographic bio-analysis and preliminary pharmacokinetics of the experimental antitumour drug vintriptol 329
Van Veen, J., see Chen, X. 161
Varin, F.
—, Ducharme, J., Besner, J.G. and Théorêt, Y.
Determination of atracurium and laudanosine in human plasma by high-performance liquid chromatography 319
Veen, J. van, see Chen, X. 161
Vijgh, W.J.F. van der, see De Jong, J. 359
Villén, T.
—, Aden, Y.A., Ericsson, Ö., Gustafsson, L.L. and Sjöqvist, F.
Determination of metrifonate and dichlorvos in whole blood using gas chromatography and gas chromatography–mass spectrometry 309
Völker, U., see De Vries, J.X. 479
Vries, J.X., de, see De Vries, J.X. 479
Wada, O., see Manabe, S. 125
Wada, Y., see Kinoshita, M. 462
Wainer, I.W., see Gimenez, F. 339
Wakai, J., see Haginaka, J. 455
Welz, W., see Leis, H.J. 299
Wijsbeek, J., see Chen, X. 161
Willemse, P.H.B., see Dikkeschei, L.D. 145
Wolthers, B.G., see Dikkeschei, L.D. 145
Woude, H.R. van der, see Van Tellingen, O. 135, 329
Yamada, T., see Hattori, H. 189
Yasuda, H., see Haginaka, J. 455
Yoshimura, M., see Kinoshita, M. 462
Yoshino, Y., see Kamisaki, Y. 417
Yoshiya, I., see Hosotsubo, K.K. 223
Yoshizawa, E., see Shoshibara, M. 473
Zeeuw, R.A. de, see Chen, X. 161
Ziege, E.A., see Peyton, A.L. 377

Subject Index

Acenocoumarol
Determination of the plasma protein binding of the coumarin anticoagulants phenprocoumon and its metabolites, warfarin and acenocoumarol, by ultrafiltration and HPLC 479

Acetate
Analysis of blood acetate by head-space GC: comparative studies of reagents for the methyl esterification 155

Acetylcholine
Measurements of acetylcholine and choline in cerebrospinal fluid by HPLC: failure to detect acetylcholine in normal human cerebrospinal fluid 408

Acetyl-coenzyme A carboxylase
HPLC determination of four kinds of biotin-containing carboxylase 55

Acidic drugs
Solid-phase extraction for the screening of acidic, neutral and basic drugs in plasma using a single-column procedure on Bond Elut Certify 161

Adenosine
Determination of adenosine and cyclic adenosine monophosphate in urine using solid-phase extraction and HPLC with with fluorimetric detection 437

Albumin-binding ligands
Separation of albumin-binding ligands present in uremic serum by high-performance affinity chromatography 424

Alcuronium
Determination of alcuronium in plasma and urine by HPLC 449

Amiloride
HPLC determination of amiloride and its analogues in rat plasma 201

Amino acids, PTC derivatives
Time-saving method for the reversed-phase HPLC of phenylthiocarbamyl-amino acid derivatives of free amino acids in plasma 258

γ-Aminobutyric acid
Determination of γ-aminobutyric acid in human cerebrospinal fluid by isocratic HPLC 417

Aminocarbolines
Simultaneous determination of amino-α-carbolines and amino-γ-carbolines in cigarette smoke condensate by HPLC 125

Anthracyclines
Sensitive method for the determination of daunorubicin and all its known metabolites in plasma and heart by HPLC with fluorescence detection 359

Atracurium
Determination of atracurium and laudanosine in human plasma by HPLC 319

Basic drugs
Solid-phase extraction for the screening of acidic, neutral and basic drugs in plasma using a single-column procedure on Bond Elut Certify 161

Benzydamine
Determination of benzydamine and its N-oxide in biological fluids by HPLC 113

Benzydamine N-oxide
Determination of benzydamine and its N-oxide in biological fluids by HPLC 113

Bile pigments
HPLC analysis of bile pigments as their native tetrapyrroles and as their dipyrrolic azosulfanilate derivatives 287

Biotin-containing carboxylase
HPLC determination of four kinds of biotin-containing carboxylase 55

Caffeine
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by LC with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 455

Captopril
Determination of captopril in human blood by GC–negative-ion chemical ionization MS with [$^{18}O_4$]captopril as internal standard 299

Carbamazepine
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by LC with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 455

Carboxylases
HPLC determination of four kinds of biotin-containing carboxylase 55
3-Carboxy-4-methyl-5-propyl-2-furanpropanoic acid
Separation of albumin-binding ligands present in uremic serum by high-performance affinity chromatography 424
Choline
Measurement of acetylcholine and choline in cerebrospinal fluid by HPLC: failure to detect acetylcholine in normal human cerebrospinal fluid 408
Cisplatin
HPLC analysis of unchanged *cis*-diamminedichloroplatinum (cisplatin) in plasma and urine with post-column derivatization 462
Clonazepam
Simple and sensitive method for monitoring clonazepam in human plasma and urine by HPLC 210
Cobalamins
HPLC separation and dual competitive binding assay of corrinoids in biological material 81
Cobinamide
HPLC separation and dual competitive binding assay of corrinoids in biological material 81
Corrinoids
HPLC separation and dual competitive binding assay of corrinoids in biological material 81
Crystallins
Molecular mass distribution of water-soluble crystallins from the human foetal lens during development 277
Cyclic adenosine monophosphate
Determination of adenosine and cyclic adenosine monophosphate in urine using solid-phase extraction and HPLC with fluorimetric detection 437
Cyproterone acetate
Determination of megestrol acetate and cyproterone acetate in serum of patients with advanced breast cancer by HPLC 145
Daunorubicin
Sensitive method for the determination of daunorubicin and all its known metabolites in plasma and heart by HPLC with fluorescence detection 359
Dehydrosparteine
Simultaneous determination of sparteine and its 2-dehydro and 5-dehydro metabolites in urine by HPLC with electrochemical detection 194
Denopamine
Determination of denopamine in human and dog plasma by HPLC with electrochemical detection 500
Derivatization, LC
Determination of prostaglandins in human seminal fluid by solid-phase extraction, pyridinium dichromate derivatization and HPLC 21
N-Desmethylnizatidine
Determination of nizatidine and two of its main metabolites in human serum using HPLC 369
Dexamethasone
Determination of dexamethasone in bovine tissues by coupled-column normal-phase HPLC and capillary GC–MS 1
cis-Diamminedichloroplatinum
HPLC analysis of unchanged *cis*-diamminedichloroplatinum (cisplatin) in plasma and urine with post-column derivatization 462
Dichlorvos
Determination of metrifonate and dichlorvos in whole blood using GC and GC–MS 309
Dihydropyrimidine dehydrogenase
New HPLC method for the determination of low activities of dihyropyrimidine dehydrogenase 431
Dipyrrolic azosulfanilates
HPLC analysis of bile pigments as their native tetrapyrroles and as their dipyrrolic azosulfanilate derivatives 287
Disopyramide
Simultaneous determination of disopyramide and its mono-N-dealkylated metabolite enantiomers in human plasma and urine by enantioselective HPLC 347
Drugs
Solid-phase extraction for the screening of acidic, neutral and basic drugs in plasma using a single-column procedure on Bond Elut Certify 161

Dynorphin A (1-17)
HPLC system for the separation of dynorphin A (1-17) fragments and its application in enzymolysis studies with rat nerve terminal membranes 43
Enzymes
HPLC determination of four kinds of biotin-containing carboxylase 55
Enzymes
New HPLC method for the determination of low activities of dihydropyrimidine dehydrogenase 431
10-Ethyl-10-deaza-aminopterin
HPLC method for the analysis of 10-ethyl-10-deaza-aminopterin and metabolites in plasma 135
Etomidate
HPLC determination of etomidate in plasma 217
Fluconazole
Rapid determination of serum levels of a new antifungal agent, fluconazole, by HPLC 223
Follicle-stimulating hormone
Separation of human glycoprotein hormones and their subunits by reversed-phase LC 33
Gabapentin
Determination of gabapentin in plasma and urine by capillary column GC 167
Glycopeptides
Interfacing microbore and capillary LC to continuous-flow fast atom bombardment MS for the analysis of glycopeptides 265
Glycoprotein hormones
Separation of human glycoprotein hormones and their subunits by reversed-phase LC 33
Haloperidol
Simultaneous determination of haloperidol and reduced halopteridol by GC using a megabore column with electron-capture detection: application to microsomal oxidation of reduced haloperidol 182
H^+/K^+ ATPase inhibitor
HPLC determination of the H^+/K^+ ATPase inhibitor (BY 1023/SK&F 96 022) and its sulphone metabolite in serum or plasma by direct injection and fully automated pre-column sample clean-up 389
Hormones
Separation of human glycoprotein hormones and their subunits by reversed-phase LC 33
Hydroxyphenprocoumons
Determination of the plasma protein binding of the coumarin anticoagulants phenprocoumon and its metabolites, warfarin and acenocoumarol, by ultrafiltration and HPLC 479
Hypoxanthine
Plasma and blood assay of xanthine and hypoxanthine by GC-MS: physiological variations in humans 93
Inositol phosphate
HPLC separation of inositol phosphate isomers employing a reversed-phase column and a micellar mobile phase 65
Isepamicin
Column LC determination of isepamicin in nasal cavity using gauze 473
Isocarboxazid
Determination of marplan in human plasma using HPLC 237
Laudanosine
Determination of atracurium and laudanosine in human plasma by HPLC 319
Luteinizing hormone
Separation of human glycoprotein hormones and their subunits by reversed-phase LC 33
Lysergic acid diethylamide
GC-electron-impact mass fragmentometric determination of lysergic acid diethylamide in urine 103
Marplan
Determination of marplan in human plasma using HPLC 237
Mefloquine
Determination of the enantiomers of mefloquine in plasma and whole blood using a couple achiral-chiral HPLC system 339
Megestrol acetate
Determination of megestrol acetate and cyproterone acetate in serum of patients with advanced breast cancer by HPLC 145
Mepamil
Determination of mepamil in human

plasma by reversed-phase HPLC with fluorescence detection 251
Metazosin
Determination of metazosin in biological fluids by reversed-phase HPLC with fluorescence detection 245
3-Methylcrotonyl-coenzyme A carboxylase
HPLC determination of four kinds of biotin-containing carboxylase 55
Metrifonate
Determination of metrifonate and dichlorvos in whole blood using GC and GC–MS 309
Neutral drugs
Solid-phase extraction for the screening of acidic, neutral and basic drugs in plasma using a single-column procedure on Bond Elut Certify 161
Nifedipine
Photodegradation of nifedipine relative to nitrendipine evaluated by LC and GC 175
Nitrendipine
Photodegradation of nifedipine relative to nitrendipine evaluated by LC and GC 175
Nizatidine
Determination of nizatidine and two of its main metabolites in human serum using HPLC 369
Nizatidine sulphoxide
Determination of nizatidine and two of its main metabolites in human serum using HPLC 369
Oxalate
Rapid determination of urinary oxalate by HPLC 402
Peptides
HPLC system for the separation of dynorphin A (1–17) fragments and its application in enzymolysis studies with rat nerve terminal membranes 43
Phenobarbital
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by LC with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 455
Phenprocomoun
Determination of the plasma protein binding of the coumarin anticoagulants phenprocoumon and its metabolites, warfarin and acenocoumarol, by ultrafiltration and HPLC 479
Phenytoin
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by LC with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 455
Primidone
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by LC with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 455
Propionyl-coenzyme A carboxylase
HPLC determination of four kinds of biotin-containing carboxylase 55
Prostaglandins
Determination of prostaglandins in human seminal fluid by solid-phase extraction, pyridinium dichromate derivatization and HPLC 21
Pyridinium dichromate
Determination of prostaglandins in human seminal fluid by solid-phase extraction, pyridinium dichromate derivatization and HPLC 21
Pyruvate carboxylase
HPLC determination of four kinds of biotin-containing carboxylase 55
Reduced haloperidol
Simultaneous determination of haloperidol and reduced haloperidol by GC using a megabore column with electron-capture detection: application to microsomal oxidation of reduced haloperidol 182
Sodium 5-difluoromethoxy-2-[(3,4-dimethoxy-2-pyridyl)methylsulphinyl]-1*H*-benzimidazolate
HPLC determination of the H^+/K^+ ATPase inhibitor (BY 1023/SK&F 96 022) and its sulphone metabolite in serum or plasma by direct injection and fully automated pre-column sample clean-up 389
Solid-phase extraction
Solid-phase extraction for the screening of

acidic, neutral and basic drugs in plasma using a single-column procedure on Bond Elut Certify 161

Sparteine
Simultaneous determination of sparteine and its 2-dehydro and 5-dehydro metabolites in urine by HPLC with electrochemical detection 194

Steroids
Determination of megestrol acetate and cyproterone acetate in serum in patients with advanced breast cancer by HPLC 145

Tenilsetam
Determination of tenilsetam in human plasma and urine by HPLC 486

Tetrapyrroles
HPLC analysis of bile pigments as their native tetrapyrroles and as their dipyrrolic azosulfanilate derivatives 287

Theobromine
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by LC with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 455

Theophylline
Determination of anticonvulsant drugs and methyl xanthine derivatives in serum by LC with direct injection: column-switching method using a new internal-surface reversed-phase silica support as a precolumn 455

Thioridazine
Determination of the serum concentrations of thioridazine and its main metabolites using a solid-phase extraction technique and HPLC 229

Thyroid-stimulating hormone
Separation of human glycoprotein hormones and their subunits by reversed-phase LC 33

Tibenelast
Determination of a potential antiasthmatic compound, tibenelast, and its application to phase I clinical trials 377

Tricyclic antidepressants
Detection of tricyclic antidepressants in body fluids by GC with a surface ionization detector 189

Trimetrexate
Improved chromatographic method for the determination of trimetrexate in urine 468

Viloxazine
Sensitive one-step extraction procedure for HPLC determination of viloxazine in human plasma 494

Vinpocetine
New assay method for the determination of cinpocetine in human plasma with GC–MS without transesterification caused by solvents 442

Vintriptol
HPLC bio-analysis and preliminary pharmacokinetics of the experimental antitumour drug vintriptol 329

Warfarin
Determination of the plasma protein binding of the coumarin anticoagulants phenprocoumon and its metabolites, warfarin and acenocoumarol, by ultrafiltration and HPLC 479

Xanthine
Plasma and blood assay of xanthine and hypoxanthine by GC–MS: physiological variations in humans 93